## **Ø60~ Ø90** 高精度スピンドル

## ※ カスタマイズで専用スピンドルも製作致します。

Model / application		Housing Diameter	Power	Max Speed	Tool Change Tool Interface	Bearing	
*	SW60-4013C-T LCD glass grinding	Ø60	1.3KW	40,000rpm	(manual) Special Taper	ceramic	
55	SW62-6014-PC6 Spindle for Dental machine	Ø62	1.4KW	60,000rpm	(auto) PC6	ceramic	
	SW80-1213C-T LCD glass grinding	Ø80	1.3KW	12,000rpm	(manual) Special Taper	ceramic	
	SW80-3033C-S LCD glass grinding	Ø80	3.3KW	30,000rpm	(manual) Special Straight	ceramic	
	SW80-4033C-PC10 LCD glass grinding	Ø80	3.3KW	40,000rpm	(auto) PC10	ceramic	
	SW80-4033C-E16	Ø80	3.3KW	40,000rpm	(manual) Er16M	ceramic	
	SW80-4033C-B15	Ø80	3.3KW	40,000rpm	(auto) BT15	ceramic	
	SW80-4033C-H25E (engraving)	Ø80	3.3KW	40,000rpm	(auto) HSK E25	ceramic	
	SW90-3033C-B  Cylinderical grinding	Ø90	3.3KW	30,000rpm	(manual) Special bar	ceramic	
	SW90-3033C-MT2 Cylinderical grinding	Ø90	3.3KW	30,000rpm	(manual) MT2	ceramic	
4.10	SW90-1213C-S Exclusive Machine	Ø90	1.3KW	12,000rpm	(manual) Special Straight	ceramic	
MA	ROTARY JOINT	Ø48		35,000rpm		ceramic	

Option: oil mist, mini encoder, rotary joint